JHR 81: 181–189 (2021) doi: 10.3897/jhr.81.62634 https://jhr.pensoft.net



# Corrigenda: An updated checklist of the bees (Hymenoptera, Apoidea, Anthophila) of Pennsylvania, United States of America. Journal of Hymenoptera Research 77: 1–86. https://doi.org/10.3897/jhr.77.49622

Shelby Kerrin Kilpatrick<sup>1</sup>, Jason Gibbs<sup>2</sup>, Martin M. Mikulas<sup>3,4</sup>, Sven-Erik Spichiger<sup>3,5</sup>, Nancy Ostiguy<sup>1</sup>, David J. Biddinger<sup>1,6</sup>, Margarita M. López-Uribe<sup>1</sup>

I Department of Entomology, Center for Pollinator Research, Pennsylvania State University, University Park, Pennsylvania, 16802, USA 2 Department of Entomology, University of Manitoba, Winnipeg, Manitoba, R3T 2N2, Canada 3 Pennsylvania Department of Agriculture, Harrisburg, Pennsylvania, 17110, USA 4 USDA, Animal and Plant Health Inspection Service, Plant Protection and Quarantine, Lancaster, Pennsylvania, 17601, USA 5 Washington State Department of Agriculture, Olympia, Washington, 98501, USA 6 Fruit Research and Extension Center, Pennsylvania State University, Biglerville, Pennsylvania, 17307, USA

Corresponding author: Shelby Kerrin Kilpatrick (skk30@psu.edu)

Academic editor: M. Ohl | Received 31 December 2020 | Accepted 4 January 2021 | Published 25 February 2021 http://zoobank.org/F20F8439-60E1-4580-B907-B4731F1F4F2E

**Citation:** Kilpatrick SK, Gibbs J, Mikulas MM, Spichiger S-E, Ostiguy N, Biddinger DJ, López-Uribe MM (2021) Corrigenda: An updated checklist of the bees (Hymenoptera, Apoidea, Anthophila) of Pennsylvania, United States of America. Journal of Hymenoptera Research 77: 1–86. https://doi.org/10.3897/jhr.77.49622. Journal of Hymenoptera Research 81: 181–189. https://doi.org/10.3897/jhr.81.62634

The recently updated checklist of the bees of Pennsylvania, USA (Kilpatrick et al. 2020) contained several unintentional errors and some specimen records require clarification. We address below: 1) GBIF data retrieval, 2) taxonomy, 3) typographical errors in the text and Suppl. material 10, 4) misattributed county-level records, 5) county-level records for species in both Fig. 3 and Suppl. material 1, 6) data sources that were omitted from the text, and 7) state species record validity. These corrections, additional details, and updated files should be used in combination with the data presented in the original publication.

Copyright Shelby Kilpatrick et al. This is an open access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

#### **GBIF** data

The specimen data retrieved from GBIF.org on 07 January 2020 (GBIF Occurrence Download https://doi.org/10.15468/dl.wghcks) were filtered by "Scientific name", (Andrenidae, Apidae, Colletidae, Halictidae, Megachilidae, Melittidae), "Continent" (North America), "Country or area" (United States of America), and "State province" (PENNSYLVANIA). We have become aware that applying the geography-based terms excluded numerous records from our search results (i.e., a record was excluded if any of these fields were empty/missing when a record was originally submitted to GBIF or if there was a misspelling/variant of the search term in any of these fields). Applying a polygon/shapefile for the state and adjusting "coordinateUncertaintyInMeters", in place of using geography-based terms, will return all records that contain coordinates within the state, regardless of how complete their other fields are. Combining this search strategy with searches that use a wider variety of geography-based terms – to retrieve records without coordinates or that have been incorrectly georeferenced – can be used to compile a thorough GBIF dataset. However, the addition of records from searches such as these is outside of the scope of the corrigenda.

# Checklist taxonomy

The subfamilial classification within Apidae was intended to follow Bossert et al. (2019), however, Anthophorinae was omitted. Thus, all members of Anthophorini were intended to be included in Anthophorinae, not Apinae. Additionally, all members of Emphorini should be classified within Eucerinae, not Apinae.

The species group, *viridatum*, was unintentionally omitted from *Lasioglossum* (*Dialictus*) dreisbachi (Mitchell, 1960) in both the text and Suppl. material 1. Hoplitis (Hoplitis) anthocopoides (Schenck, 1853) is in the adunca species group, not Annosmia–Hoplitis. Furthermore, L. (Sphecodogastra) truncatum (Robertson, 1901) does not have a species group and is thus not in the calceatum group. Suppl. material 1 has been corrected per this information, and to fully reflect the checklist text, group names for six Lasioglossum spp. were also added: cephalotes group – L. (Dialictus) cephalotes (Dalla Torre, 1896); platyparium group – L. (Dialictus) izawsum Gibbs, 2011, L. (Dialictus) rozeni Gibbs, 2011, and L. (Dialictus) simplex (Robertson, 1901); viridatum group – L. (Dialictus) georgeickworti Gibbs, 2011 and L. (Dialictus) katherineae Gibbs, 2011.

#### Literature review records

Typographical and formatting errors that were introduced to Suppl. material 10 when the file was reformatted for publication were corrected.

# Checklist legend


Some of the citations of the Legend presented on page 17 were incorrectly formatted and/or had the incorrect year listed. The corrected legend is reprinted in full here for clarity and convenience:

Legend: <sup>1</sup> = Donovall and vanEngelsdorp (2010); <sup>2</sup> = Bartomeus et al. (2013); <sup>3</sup> = Biddinger Laboratory Database; <sup>4</sup> = Droege Database; <sup>5</sup> = Integrated Crop Pollination (ICP) Project: Fleischer Laboratory Database; <sup>6</sup> = López-Uribe Laboratory Database; <sup>7</sup> = Mahan et al., in prep; <sup>8</sup> = Winfree Laboratory Database; <sup>9</sup> = Choate et al. (2018); <sup>10</sup> = Baker (1975); <sup>11</sup> = Bouseman and LaBerge (1978); <sup>12</sup> = Broemeling (1988); <sup>13</sup> = Cockerell (1908); <sup>14</sup> = Daly (1973); <sup>15</sup> = DeBarros (2010); <sup>16</sup> = Droege et al. (2010); <sup>17</sup> = Gibbs (2010); <sup>18</sup> = Gibbs (2011); <sup>19</sup> = Gibbs and Dathe (2017); <sup>20</sup> = Gibbs et al. (2013); <sup>21</sup> = LaBerge (1969); <sup>22</sup> = LaBerge (1971); <sup>23</sup> = LaBerge (1973); <sup>24</sup> = LaBerge (1977); <sup>25</sup> = LaBerge (1980); <sup>26</sup> = LaBerge (1985); <sup>27</sup> = LaBerge (1987); <sup>28</sup> = LaBerge (1989); <sup>29</sup> = LaBerge and Bouseman (1970); <sup>30</sup> = LaBerge and Ribble (1972); <sup>31</sup> = Matteson et al. (2008); <sup>32</sup> = McGinley (1986); <sup>33</sup> = McGinley (2003); <sup>34</sup> = Mikulas and Barringer (2018); <sup>35</sup> = Milliron (1973a); <sup>36</sup> = Mitchell (1960); <sup>37</sup> = Mitchell (1962); <sup>38</sup> = Onuferko (2017); <sup>39</sup> = Onuferko (2018); <sup>40</sup> = Ordway (1966); <sup>41</sup> = Rehan and Sheffield (2011); <sup>42</sup> = Roberts (1972); <sup>43</sup> = Shinn (1967); <sup>44</sup> = Sidhu (2013); <sup>45</sup> = Stephen (1954); <sup>46</sup> = Svensson et al. (1977); <sup>47</sup> = Timberlake (1975); <sup>48</sup> = AMNH; <sup>49</sup> = BugGuide; <sup>50</sup> = Swenk (1915); <sup>51</sup> = PSUB; <sup>52</sup> = Rosemary Malfi Insect Collection; <sup>53</sup> = Emily Erickson/BIML.

#### **Checklist species records**

Specimen records from Choate et al. (2018) (superscript 9) were misattributed to Erie County, instead of Crawford County. The error affected 103 species, ranging across pages 18 to 63. Of these 103 species, 30 have been recorded in both Crawford and Erie counties, and Erie is considered a new county record for nine species: *Apis (Apis) mellifera mellifera* Linnaeus, 1758; *Ceratina (Zadontomerus) strenua* Smith, 1879; *Anthidium (Anthidium) manicatum manicatum* (Linnaeus, 1758); *Megachile (Eutricharaea) rotundata* (Fabricius, 1787); *Osmia (Melanosmia) pumila* Cresson, 1864; *Andrena (Andrena) tridens* Robertson, 1902; *Halictus (Odontalictus) ligatus* Say, 1837; *Lasioglossum (Dialictus) tegulare* (Robertson, 1890); and *Lasioglossum (Leuchalictus) zonulum* (Smith, 1848). The remaining 73 species have only been recorded in Crawford County, not Erie County.

The county records for each species have been corrected in Suppl. material 1 and Fig. 3. The following additional changes were made to the species records in Suppl. material 1 and Fig. 3, to accurately reflect data presented in the checklist text: *Nomada imbricata* Smith, 1854 – Lancaster County was added; Lackawanna County was removed. *Nomada luteola* Olivier, 1812 – York County was added. *Osmia (Melanosmia)* 



**Figure 3.** Choropleth map of Pennsylvania specifying bee species richness by county. The greater number of species recorded for a county, the darker blue the county is on the map; lighter-colored counties have fewer species reported from them. The number of species reports for counties ranges from one (Cameron Co.) to 246 (Adams Co.).

*pumila* Cresson, 1864 – Jefferson County was added; Juniata County was removed. *Andrena (Andrena) cornelli* Viereck, 1907 – Schuylkill County was added.

Sources for county and/or date information reported in the checklist were partially omitted in four species' records in the checklist on pages 37, 47, 49, and 60. The data noted for each of the following species is attributable to the citation for superscript "1": *Hoplitis (Alcidamea) producta producta (Cresson, 1864) – Butler; Andrena (Thysandrena) w-scripta Viereck, 1904 – Potter; Calliopsis (Calliopsis) andreniformis Smith, 1853 – Cumberland and Lackawanna; Sphecodes ranunculi Robertson, 1897 – Dauphin, Erie, Montgomery, and 14 Jul.* 

#### Additional remarks on species record verifications

Several state species records, including the following, were included on the checklist based on external data sources as provided in Kilpatrick et al. (2020). However, they were not independently verified. Since these are uncommon species or reach the limit of their ranges in Pennsylvania, it would be useful to validate these records in the future: *Bombus (Psithyrus) insularis* (Smith, 1861); *Melissodes (Eumelissodes) fumosus* La-Berge, 1961; *Triepeolus rugosus* Mitchell, 1962; *Stelis (Stelis) foederalis* Smith, 1854; *Andrena (Euandrena) phaceliae* Mitchell, 1960; *Andrena (Xiphandrena) mendica* Mitchell, 1960; *Lasioglossum (Dialictus) cephalotes* (Dalla Torre, 1896); *Lasioglossum (Dialictus) marinum* (Crawford, 1904); *Lasioglossum (Dialictus) simplex* (Robertson, 1901); *Lasioglossum (Sphecodogastra) comagenense* (Knerer and Atwood, 1964); *Sphecodes smilacinae* Robertson, 1897; and *Sphecodes solonis* Graenicher, 1911.

#### Acknowledgements

Thanks again to Beth Choate for graciously sharing specimen data. John (Jack) Neff (Central Texas Melittological Institute) and John Ascher (National University of Singapore) critically reviewed the published article and their feedback contributed to components of the corrigenda. GBIF Secretariats, Daniel Noesgaard and John Waller, reviewed our occurrence download and contributed suggestions for retrieving additional records in future searches. We also thank Emily Erickson, Rosemary Malfi, and T'ai Roulston for their assistance with confirming a few of the specimen records included in the updated checklist.

#### References

- Baker JR (1975) Taxonomy of five Nearctic subgenera of *Coelioxys* (Hymenoptera: Megachilidae). The University of Kansas Science Bulletin 50: 49–730.
- Bartomeus I, Ascher JS, Gibbs J, Danforth BN, Wagner DL, Hedtke SM, Winfree R (2013) Historical changes in northeastern US bee pollinators related to shared ecological traits. Proceedings of the National Academy of Sciences 110(12): 4656–4660. https://doi. org/10.1073/pnas.1218503110
- Broemeling DK (1988) A revision of the Nomada subgenus Nomadita of North America. Pan-Pacific Entomologist 64: 321–344.
- Bouseman JK, LaBerge WE (1978) A revision of the bees of the genus Andrena of the Western Hemisphere. Part IX. Subgenus Melandrena. Transactions of the American Entomological Society 104: 275–389.
- Bossert S, Murray EA, Almeida EA, Brady SG, Blaimer BB, Danforth BN (2019) Combining transcriptomes and ultraconserved elements to illuminate the phylogeny of Apidae. Molecular Phylogenetics and Evolution 130: 121–131. https://doi.org/10.1016/j.ympev.2018.10.012
- Choate BA, Hickman PL, Moretti EA (2018) Wild bee species abundance and richness across an urban–rural gradient. Journal of Insect Conservation 22(3–4): 391–403. https://doi. org/10.1007/s10841-018-0068-6
- Cockerell TDA (1908) Bees of the genus *Nomada*, belonging to the group of *N. depressa* Cresson. Entomological News 19: 323–324.
- Daly HV (1973) Bees of the genus *Ceratina* in America north of Mexico (Hymenoptera: Apoidea). University of California Publications in Entomology 74: 1–114.
- DeBarros NB (2010) Floral resource provisioning for bees in Pennsylvania and the mid-Atlantic region. MS Thesis. The Pennsylvania State University (University Park).
- Donovall LR, vanEngelsdorp D (2010) A Checklist of the Bees (Hymenoptera: Apoidea) of Pennsylvania. Journal of the Kansas Entomological Society 83(1): 7–24. https://doi.org/10.2317/JKES808.29.1
- Droege S, Rightmyer MG, Sheffield CS, Brady SG (2010) New synonymies in the bee genus *Nomada* from North America. Zootaxa 2661: 1–32. https://doi.org/10.11646/zootaxa.2661.1.1
- GBIF.org (2020) GBIF Occurrence Download. [accessed 7 January 2020]
- Gibbs J (2010) Revision of the metallic *Lasioglossum (Dialictus)* of Canada (Hymenoptera, Halictidae, Halictini). Zootaxa 2591: 1–382. https://doi.org/10.11646/zootaxa.2591.1.1

- Gibbs J (2011) Revision of the metallic *Lasioglossum* (*Dialictus*) of eastern North America (Hymenoptera: Halictidae: Halictini). Zootaxa 3073: 1–216. https://doi.org/10.11646/zootaxa.3073.1.1
- Gibbs J, Dathe HH (2017) First records of *Hylaeus (Paraprosopis) pictipes* Nylander, 1852 (Hymenoptera: Colletidae) in North America. Check List 13(3): 1–6. https://doi. org/10.15560/13.3.2116
- Gibbs J, Packer L, Dumesh S, Danforth BN (2013) Revision and reclassification of Lasioglossum (Evylaeus), L. (Hemihalictus) and L. (Sphecodogastra) in eastern North America (Hymenoptera: Apoidea: Halictidae). Zootaxa 3672: 1–116. https://doi.org/10.11646/ zootaxa.3672.1.1
- Kilpatrick SK, Gibbs J, Mikulas MM, Spichiger S-E, Ostiguy N, Biddinger DJ, Lopez-Uribe MM (2020) An updated checklist of the bees (Hymenoptera, Apoidea, Anthophila) of Pennsylvania, United States of America. Journal of Hymenoptera Research 77: 1–86. https://doi.org/10.3897/jhr.77.49622
- LaBerge WE (1969) A revision of the bees of the genus Andrena of the Western Hemisphere Part II. Plastandrena, Aporandrena, Charitandrena. Transactions of the American Entomological Society 95: 1–47.
- LaBerge WE (1971) A revision of the bees of the genus Andrena of the Western Hemisphere. Part IV. Scrapteropsis, Xiphandrena and Raphandrena. Transactions of the American Entomological Society 97: 441–520.
- LaBerge WE (1973) A revision of the bees of the genus Andrena of the Western Hemisphere. Part VI. Subgenus Trachandrena. Transactions of the American Entomological Society 99: 235–371.
- LaBerge WE (1977) A revision of the bees of the genus Andrena of the Western Hemisphere. Part VIII. Subgenera Thysandrena, Dasyandrena, Psammandrena, Rhacandrena, Euandrena, Oxyandrena. Transactions of the American Entomological Society 103: 1–143.
- LaBerge WE (1980) A revision of the bees of the genus *Andrena* of the Western Hemisphere. Part X. Subgenus *Andrena*. Transactions of the American Entomological Society 106: 395–525.
- LaBerge WE (1985) A revision of the bees of the genus Andrena of the Western Hemisphere, Part XI. Minor subgenera and subgeneric key. Transactions of the American Entomological Society 111: 441–567.
- LaBerge WE (1987) A revision of the bees of the genus Andrena of the Western Hemisphere. Part XII. Subgenera Leucandrena, Ptilandrena, Scoliandrena, and Melandrena. Transactions of the American Entomological Society 112: 191–248.
- LaBerge WE (1989) A revision of the bees of the genus Andrena of the Western Hemisphere. Part XIII. Subgenera Simandrena and Taeniandrena. Transactions of the American Entomological Society 115: 1–56.
- LaBerge WE, Bouseman JK (1970) A revision of the bees of the genus Andrena of the Western Hemisphere. Part III. Tylandrena. Transactions of the American Entomological Society 96: 543–605.
- LaBerge WE, Ribble DW (1972) A revision of the bees of the genus Andrena of the Western Hemisphere. Part IV. Gonandrena, Geissandrena, Parandrena, Pelicandrena. Transactions of the American Entomological Society 98: 271–358.

- Matteson KC, Ascher JS, Langellotto GA (2008) Bee richness and abundance in New York City urban gardens. Annals of the Entomological Society of America 101: 140–150. https://doi. org/10.1603/0013-8746(2008)101[140:BRAAIN]2.0.CO;2
- McGinley RJ (1986) Studies of Halictinae (Apoidea: Halictidae), I: Revision of New World *Lasioglossum* Curtis. Smithsonian Contributions to Zoology 429: 1–294. https://doi. org/10.5479/si.00810282.429
- McGinley RJ (2003) Studies of Halictinae (Apoidea: Halictidae), II: Revision of *Sphecodogastra* Ashmead, floral specialists of Onagraceae. Smithsonian Contributions to Zoology 610: 1–55. https://doi.org/10.5479/si.00810282.610
- Michener CD (2007) The Bees of the World, 2<sup>nd</sup> edition. Johns Hopkins University Press (Baltimore), 1–953.
- Mikulas MM, Barringer LE (2018) First record of *Bombus rufocinctus* Cresson (Hymenoptera: Apidae: Bombini) in Pennsylvania. Insecta Mundi 0638: 1–2.
- Milliron HE (1973a) A monograph of the Western Hemisphere bumble bees (Hymenoptera: Apidae; Bombinae). II. Memoirs of the Entomological Society of Canada 105: 81–235. https://doi.org/10.4039/entm10589fv
- Mitchell TB (1960) Bees of the Eastern United States: Volume I. North Carolina Agricultural Experimental Station Technical Bulletin 141: 1–538.
- Mitchell TB (1962) Bees of the Eastern United States: Volume II. North Carolina Agricultural Experimental Station Technical Bulletin 152: 1–557.
- Onuferko TM (2017) Cleptoparasitic Bees of the Genus *Epeolus* Latreille (Hymenoptera: Apidae) in Canada. Canadian Journal of Arthropod Identification 30: 1–62.
- Onuferko TM (2018) A revision of the cleptoparasitic bee genus *Epeolus* Latreille for Nearctic species, north of Mexico (Hymenoptera, Apidae). ZooKeys 755: 1–185. https://doi. org/10.3897/zookeys.755.23939
- Ordway E (1966) Systematics of the bee genus *Augochlorella* (Hymenoptera, Halictidae) north of Mexico. The University of Kansas Science Bulletin 46: 509–624. https://doi. org/10.5962/bhl.part.20079
- Rehan SM, Sheffield CS (2011) Morphological and molecular delineation of a new species in the *Ceratina dupla* species-group (Hymenoptera: Apidae: Xylocopinae) of eastern North America. Zootaxa 2873: 35–50. https://doi.org/10.11646/zootaxa.2873.1.3
- Roberts RB (1972) Revision of the bee genus *Agapostemon* (Hymenoptera: Halictidae). The University of Kansas Science Bulletin 49: 437–590.
- Shinn AF (1967) A revision of the bee genus *Calliopsis* and the biology and ecology of *C. andreniformis* (Hymenoptera, Andrenidae). The University of Kansas Science Bulletin 46: 753–936. https://doi.org/10.5962/bhl.part.20081
- Sidhu CS (2013) Farmscape and landscape-level effects on Cucurbit pollinators on small farms in a diversified agroecosystem. PHD Thesis. The Pennsylvania State University (University Park).
- Stephen WP (1954) A revision of the bee genus *Colletes* in America North of Mexico. The University of Kansas Science Bulletin 36: 149–527.
- Svensson BG, Ebmer PAW, Sakagami SF (1977) Lasioglossum (Evylaeus) boreale, a new Halictinae (Hymenoptera: Apoidea) species found in northern Sweden and on Hokkaido,

Japan, with notes on its biology. Insect Systematics & Evolution 8(3): 219–229. https://doi.org/10.1163/187631277X00297

- Swenk, MH (1915) Studies of North American bees. III. Families Nomadidae and Stelididae. University Studies of The University of Nebraska 15: 155–193.
- Timberlake PH (1975) The North American species of *Heterosarus* Robertson (Hymenoptera, Apoidea). University of California Publications in Entomology 77: 1–56.

# Supplementary material I

## Bee species of Pennsylvania: taxonomy, collection dates, persistence, and distribution data

Authors: Shelby Kerrin Kilpatrick, Jason Gibbs, Martin M. Mikulas, Sven-Erik Spichiger, Nancy Ostiguy, David J. Biddinger, Margarita M. López-Uribe Data type: classification, phenology, distribution

- Explanation note: The classification, earliest and latest dates of collection in both Donovall and vanEngelsdorp (2010) and Kilpatrick et al. (2020), most recent year of collection/observation in both Donovall and vanEngelsdorp (2010) and Kilpatrick et al. (2020), persistence data, and county-level occurrence data is presented for each of the 437 spp. of bees reported in Pennsylvania. This file has been corrected and updated as described in the text of the Corrigenda. This replacement file for Suppl. material 1 should be used in combination with the data in the original publication (Kilpatrick et al. 2020) and the Corrigenda.
- Copyright notice: This dataset is made available under the Open Database License (http://opendatacommons.org/licenses/odbl/1.0/). The Open Database License (ODbL) is a license agreement intended to allow users to freely share, modify, and use this Dataset while maintaining this same freedom for others, provided that the original source and author(s) are credited.
- Link: https://doi.org/10.3897/jhr.81.62634.suppl1

# Supplementary material 10

# Pennsylvania bee species literature review records

Authors: Shelby Kerrin Kilpatrick, Jason Gibbs, Martin M. Mikulas, Sven-Erik Spichiger, Nancy Ostiguy, David J. Biddinger, Margarita M. López-Uribe Data type: specimen records

- Explanation note: Complete specimen literature record details for species of bees reported in Pennsylvania. Citation details, taxonomic classification (past and updated to current), type of report, occurrence details (both verbatim and transformed), and species notes are presented for 1,283 records. This file has been corrected and updated as described in the text of the Corrigenda. This replacement file for Suppl. material 10 should be used in combination with the data in the original publication (Kilpatrick et al. 2020) and the Corrigenda.
- Copyright notice: This dataset is made available under the Open Database License (http://opendatacommons.org/licenses/odbl/1.0/). The Open Database License (ODbL) is a license agreement intended to allow users to freely share, modify, and use this Dataset while maintaining this same freedom for others, provided that the original source and author(s) are credited.

Link: https://doi.org/10.3897/jhr.81.62634.suppl10